



US00D554543S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,543 S**
Meyer (45) **Date of Patent:** **** Nov. 6, 2007**

(54) **ALIGNMENT TARGET APPARATUS**

D399,764 S * 10/1998 Bruegmann et al. D10/46
5,987,761 A * 11/1999 Ohnesorge 33/203.18
6,131,293 A * 10/2000 Maioli et al. 33/203.18
6,526,665 B2 * 3/2003 Jackson 33/203.18
D527,031 S * 8/2006 Andrews et al. D10/46

(75) Inventor: **Gregory F. Meyer**, St. Louis, MO (US)

(73) Assignee: **Hunter Engineering Company**,
Bridgeton, MO (US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Antoine D. Davis
(74) *Attorney, Agent, or Firm*—Armstrong Teasdale LLP

(21) Appl. No.: **29/250,257**

(57) **CLAIM**

(22) Filed: **Nov. 8, 2006**

I claim the ornamental design for an alignment target apparatus, as shown and described.

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/46**

(58) **Field of Classification Search** D10/46,
D10/65, 70; 33/203.18, 203.19, 286, 288,
33/293, 203, 227, 228; 348/169; 382/291,
382/103, 104, 151, 289, 488, 173, 100, 107,
382/199, 224, 153, 141, 155, 159; 356/155,
356/139.09; 700/110, 159, 259, 27; 901/3,
901/47

DESCRIPTION

FIG. 1 is a front perspective view of the alignment target apparatus of our new design.

FIG. 2 is a top plan view of the target apparatus shown in FIG. 1; and,

FIG. 3 is an end elevational view of the target apparatus shown in FIG. 1.

See application file for complete search history.


The broken line showing of structure is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D363,031 S * 10/1995 Bruegmann et al. D10/46

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3